

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

JUL 29 1974

Date of filing in State Engineer's Office.....

Returned to applicant for correction..... SEP 4 1974

Corrected application filed..... OCT 4 1974

Map filed..... OCT 4 1974

The applicant..... First Baptist Church of Minden and Gardnerville (Nevada)

Intersection 395 and 88....., of..... Minden.....
Street and No. or P.O. Box No. City or TownNevada 89423....., hereby make^s application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.).....

Church

1. The source of the proposed appropriation is..... Well, underground.....
Name of stream, lake or other source.2. The amount of water applied for is..... 0.5.....second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....acre-feet

3. The water to be used for..... Quasi-Municipal (Church)
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated).....

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: within the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section
30, T.13N., R.20E., at a point from which the SW corner of Section
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
31, T.13N., R.20E., bears S. 22° 10' 54" W., 7740.1 feet.
it should be stated.6. Place of use..... Baptist Church property lying within the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section
Describe by legal subdivision, if on unsurveyed land it should be so stated.
30, T.13N., R.20E., at the south intersection of Nev. State Highways
U.S. 395 and U.S. 88, containing 2.5 acres, more or less.7. Use will begin about..... Jan. 1.....and end about..... Dec. 31....., of each year.
Day and Month Day and Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.)..... pipes (well)

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works. \$1500.00
10. Estimated time required to construct works. one week
11. Estimated time required to complete the application to beneficial use. 4 months
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

First Baptist Church of Minden and Gardnerville (private source)

Church day and evening meetings. Pastor's Residence. Landscape

irrigation. Fire Protection. Usage will vary from 2000 to 20,000

gallons per day.

Applicant First Baptist Church of
Gardnerville and Minden

By s/ Robert C. Downer
Water Rights Surveyor No. 314

Compared. jw/bs

P. O. Bx. 608, Gardnerville, Nev. 89410

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to all existing rights on the source. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to other ground water development in the area. A measuring device must be installed and measurements of water use kept. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water granted herein at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.1 cubic feet per second, but not to exceed

2.5 acre-feet annually.

Actual construction work shall begin on or before March 8, 1976

Proof of commencement of work shall be filed before April 8, 1976

Work must be prosecuted with reasonable diligence and be completed on or before March 8, 1977

Proof of completion of work shall be filed before April 8, 1977

Application of water to beneficial use shall be made on or before March 8, 1978

Proof of the application of water to beneficial use shall be filed on or before April 8, 1978

Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed

Completion of work filed

Proof of beneficial use filed

Map in support of proof of beneficial use filed

IN TESTIMONY WHEREOF, I, ROLAND D. WESTERGARD,
State Engineer of Nevada, have hereunto set my hand and the seal of
my office, this 8th day of September

CANCELLED
OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT
Certificate No. 1976
Bk. Page
County Recorder

A.D. 19 75

State Engineer